

Virginia Cooperative Extension

www.ext.vt.edu



YELLOW ANT

Hymenoptera: Formicidae

By Eric Day

SIZE: Workers: 1/16 inch (4mm) or less.

COLOR: Yellow or darker in color.

DESCRIPTION: Workers are robust, smooth and shiny; they avoid light except when swarming.

HABITAT: Yellow ants swarm in the fall and springcausing great concern! They can appear around the outside of houses, usually associated with sidewalks, patios, other concrete slabs, and foundation walls. They also appear in basements. Their nests are in these locations, but go unnoticed for most of the year.

LIFE CYCLE: They swarm in the spring and fall, and there may be thousands of winged ants produced from one or more nests in the area. It is not uncommon for several nests to swarm at the same time- producing lots of ants!

TYPE OF DAMAGE: Yellow ants are not structural pests.

They nest in soil or even in wood close to houses, but rarely enter houses in search of food. They do not damage wood.

CONTROL: If control is necessary, use some liquid insecticide directly on the nest.



Yellow ants. David Cappaert, Michigan State University. Bugwood.org.

Virginia Cooperative Extension programs and employment are open to all, regardless of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. An equal opportunity/affirmative action employer. Issued in furtherance of Cooperative Extension work, Virginia Polytechnic Institute and State University, Virginia State University, and the U.S. Department of Agriculture cooperating. Edwin J. Jones, Director, Virginia Cooperative Extension, Virginia Tech, Blacksburg; Jewel E. Hairston, Interim Administrator, 1890 Extension Program, Virginia State, Petersburg.